

Preferred Roofing

Foam & Coating, Inc.

7127 N.W. 39th Expressway
Bethany, OK 73008
(405) 792 -2222 Office (405) 792-2224 Fax

Proposal

Date:

July 28, 2014

For:

Judge Kenneth Liggett

Clay County 214 N. Main

Henrietta, TX 76365

Property:

County Offices

Proposal:

Install Conklin Foam and Coating Roof System on north lower slope section of roof as follows:

- 1. Use power brooms and blowers to remove all dirt and debris.
- 2. Cut down ribs on back 4"-6" of roof and install pre-painted metal drip edge along east, lower edge of roof.
- 3. Install 1"-1 1/4" BASF 2.8 lb. closed cell sprayed in place polyurethane foam across the entire roof surface, encapsulating flashings on south side of roof, flashing onto metal caps on west and north sides of roof, and flashing around all curbed A/C units and other roof penetrations.
- 4. Apply Conklin Base Coat at an approx. rate of 12-14 dry mils /sq., backrolling to fill any pinholes.
- 5. Apply Conklin Top Coat to entire roof surface at an approx. rate of 12-14 dry mils /sq.
- 6. Seal all flashings as necessary.
- 7. Clean up and haul away all roofing debris.

Cost:

Install Foam & Coating, 7,040sf @ \$ 5.20/sf Will need Texas State & Local Tax Exemption


\$ 36,608.00

Warranty:


Workmanship and material on the Spray Foam Roof & Coating System will have a 10 year, <u>non-prorated</u> warranty from Preferred Roofing Foam & Coating, Inc. and Conklin Co. Warranty does not include damage to interior of building or its contents, only to the repair or replacement of the roof system.

This roof system is renewable. At the end of the 10-year warranty, the roof can be power-washed and recoated with Top Coat, and a new 10-year warranty can be issued for a much lesser cost.

Payment:	Due in full upon satisfactory completion of	above specified work.	
Sincerely, Preferred Roo Foam & Coati But Le			
Bill Feland, President			
ACCEPTED: The above prices, specifications, and conditions are satisfactory and are hereby accepted. You are authorized to do the work as specified. Payment will be made as outlined above.			
Signature:		Date:	




Spray Polyurethane Foam (SPF) Roof System



Proven DEPENDABLE Quality Preferred Attractive Low Maintenance LOCAL Preventative Energy Star

Spray Polyurethane Foam (SPF) Roof System



Surface Preparation-Vacuuming: Gravel roofs are vacuumed and power-broomed. Roofs without gravel are cleaned and prepared for foam.



Surface Preparation-Scarfing: Existing foam roofs can be scarified before the foam is applied.




Surface Preparation-Tear Off: Existing roofs that have moisture underneath the surface may be torn off before the foam is applied.



Foam Application: The closed-cell spray polyurethane foam is applied over the existing roof.



Before/Foam & Base Coat: Foam is sprayed over prepared roof, then acrylic base coat is applied over the foam.



After/Top Coat: White, highly reflective acrylic top coat is applied over the base coat.


*All America Bank . Mustang, OK

*All America Bank . Mustang, OK

Long Lasting TRUSTED Durable Energy Efficient Cost Effective Environmentally Friendly Affordable

Benefits of the Foam Roofing System:

- Stops Leaks
- Saves Energy & Money
- 10 Year, Non-prorated Warranty
- ✓ Less Expensive Than Replacement
- **Extends Roof Life**
- Stops Air Infiltration
- **Seamless**



- 1. Closed cell foam (any leakage remains localized)
 - R-6 per inch (insulated for year-round energy efficiency
 - No seams to leak
 - No fasteners (lack of thermal shorts)
 - · Tough surface withstands light foot traffic
 - Sustainable-can be recoated, for years of extended life
 - Easily repaired if damaged
- 2. Acrylic base coat
- 3. White, highly reflective acrylic top coat. These Energy Star rated coatings reflect away as much as 85% of the sun's UV rays, paying big dividends in energy savings along with the added insulation value of the foam.




Express Credit Auto

Oklahoma City, OK



Gaylord Memorial Stadium (OU)

Norman, OK




St. Gregory's University

Shawnee, OK

"Preferred Roofing's services are second to none. We will not use any other roofing company for our roofing projects".

Dan Smith-Property Mangager Sidney Upsher-Owner Gaslight Square Shopping Center Oklahoma City, OK



About Us

Bill Feland, President and Owner, started Preferred Roofing Foam & Coating, Inc. in October of 1993, as a residential and light commercial roofing company. After obtaining his bachelor's degree in business management from Southern Nazarene University, he worked as a claims adjuster and supervisor for six years, continuing to roof on the side. Dealing with roofing contractors daily, he recognized the need for an honest contractor with roofing expertise and decided to go full-time into the roofing business. In the past 16 years, he has continued to increase his knowledge of the roofing industry, becoming involved with the National Roofing Contractor's Association, the Midwest Roofing Contractor's Association, the Spray Polyurethane Foam Association, as well as participating in several roofing manufacturer's training schools, including Conklin Co. and Foam Enterprises.

At Preferred Roofing, we specialize in commercial re-roofing. We do work for many companies and property management companies where we re-roof commercial buildings with the newest roof systems available, specializing in metal roof restoration and coatings.

Contact Us:

Preferred Roofing Foam & Coating, Inc.

Bill Feland ~ President/Owner 7127 N.W. 39th Expy., Suite A Bethany, Oklahoma 73008

Office • 405.792.2222 www.preferred-roofing.com

Fax • 405.792.2224

bill @preferred-roofing.com
















Preferred Roofing

Foam & Coating, Inc.

7127 N.W. 39th Expressway
Bethany, OK 73008
(405) 792 –2222 Office (405) 792-2224 Fax

Proposal

Date:

June 12, 2015

For:

Judge Kenneth Liggett

Clay County 214 N. Main

Henrietta, TX 76365

Property:

County Jail

Proposal:

Install Conklin Foam and Coating Roof System on north lower slope section of roof as follows:

- 1. Use power brooms and blowers to remove all dirt and debris.
- 2. Cut down ribs on back 4"-6" of roof and install pre-painted metal drip edge along east, lower edge of roof.
- 3. Install 1"-1 1/4" BASF 2.8 lb. closed cell sprayed in place polyurethane foam across the entire roof surface, encapsulating flashings on south side of roof, flashing onto metal caps on west and north sides of roof, and flashing around all curbed A/C units and other roof penetrations.
- 4. Apply Conklin Base Coat at an approx. rate of 12-14 dry mils /sq., backrolling to fill any pinholes.
- 5. Apply Conklin Top Coat to entire roof surface at an approx. rate of 12-14 dry mils /sq.
- 6. Seal all flashings as necessary.
- 7. Clean up and haul away all roofing debris.

Cost:

Install Foam & Coating, 14,216 @ \$4.77/sf Will need Texas State & Local Tax Exemption

\$ 67,810.36

Warranty:

Workmanship and material on the Spray Foam Roof & Coating System will have a 10 year, non-prorated warranty from Preferred Roofing Foam & Coating, Inc. and Conklin Co. Warranty does not include damage to interior of building or its contents, only to the repair or replacement of the roof system.

This roof system is renewable. At the end of the 10-year warranty, the roof can be power-washed and recoated with Top Coat, and a new 10-year warranty can be issued for a much lesser cost.

Payment:	Due in full upon satisfactory completion of	above specified work.
Sincerely, Preferred Roo Foam & Coati	· ·	
Bill He Bill Feland, Pi		
ACCEPTED: accepted. You above.	The above prices, specifications, and condit are authorized to do the work as specified.	ions are satisfactory and are hereby Payment will be made as outlined
Signature:		Date:



Preferred Roofing

Foam & Coating, Inc.

7127 N.W. 39th Expressway
Bethany, OK 73008
(405) 792 –2222 Office (405) 792-2224 Fax

Proposal

Date:

June 12, 2015

For:

Judge Kenneth Liggett

Clay County 214 N. Main

Henrietta, TX 76365

Property:

County Offices

Proposal:

Install Conklin Foam and Coating Roof System on north lower slope section of roof as follows:

- 1. Use power brooms and blowers to remove all dirt and debris.
- 2. Cut down ribs on back 4"-6" of roof and install pre-painted metal drip edge along east, lower edge of roof.
- 3. Install 1"-1 1/4" BASF 2.8 lb. closed cell sprayed in place polyurethane foam across the entire roof surface, encapsulating flashings on south side of roof, flashing onto metal caps on west and north sides of roof, and flashing around all curbed A/C units and other roof penetrations.
- 4. Apply Conklin Base Coat at an approx. rate of 12-14 dry mils /sq., backrolling to fill any pinholes.
- 5. Apply Conklin Top Coat to entire roof surface at an approx. rate of 12-14 dry mils /sq.
- 6. Seal all flashings as necessary.
- 7. Clean up and haul away all roofing debris.

Cost:

Install Foam & Coating, 7,040sf @ \$ 5.20/sf Will need Texas State & Local Tax Exemption

\$ 36,608.00

If done at same time as jail, deduct \$0.43/sf or \$3,027.20, making

total cost

\$ 33,580.80

Warranty:

Workmanship and material on the Spray Foam Roof & Coating System will have a 10 year, <u>non-prorated</u> warranty from Preferred Roofing Foam & Coating, Inc. and Conklin Co. Warranty does not include damage to interior of building or its contents, only to the repair or replacement of the roof system.

This roof system is renewable. At the end of the 10-year warranty, the roof can be power-washed and recoated with Top Coat, and a new 10-year warranty can be issued for a much lesser cost.

Payment:

Due in full upon satisfactory completion of above specified work.

Sincerely, Preferred Roofing Foam & Coating, Inc.

Bill Feland, President

Bill Felanl

ACCEPTI	ED:	The abov	e prices,	specificatio	ns, and con	nditi	ons are s	satisfac	tory an	d are h	iereby
accepted.	You	are autho	orized to	do the work	as specifie	ed. 1	Payment	will be	e made	as out	lined
above.											

Signature: Da	ate:
---------------	------