

BID SHEET
Rock (Sand and Gravel)

BIDDER'S COMPANY NAME

HANSON AGGREGATES LLC

ADDRESS

300 E JOHN CARPENTER FWM STE 1600
IRVING, TX 75062

PHONE

214-435-4027

LOCATIONS AND SPECIFICATIONS:

- Precinct No. 1--Byers, Texas**
- Precinct No. 2--Dean, Texas**
- Precinct No. 3--Midway, Texas**
- Precinct No. 4--Bellevue, Texas**

BID PRICE PER TON:

LAKE BRIDGEPORT: 1160 FM 1658
Bridgeport, TX 76426

PERCH HILL: 1443 S. Hwy 101
Chico, TX 76431

1½" Crusher run base

\$ 7.50 FOB LAKE BRIDGEPORT - TX 190
(A1-2 BASE)

1" Crusher run base

N/B

Pit run base

N/B

Screening 3/8" and down

\$ 7.00 FOB PERCH HILL - TX 179
(Not guaranteed a specific spec)

3/4" down base

\$ 7.25 FOB LAKE BRIDGEPORT - TX 198

Backfill

\$ 11.00 FOB PERCH HILL - TX 128 (1" Utility)
OR 1/4" - #10 TX 177 Alternates

3" Rock

N/B

4" Rock

N/B

Septic Rock

N/B

2" - 6" Oversize

\$ 14.00 FOB PERCH HILL - TX 208 (3" x 5")
Alternate

1½" - 3" Small Oversize

\$ 13.00 FOB PERCH HILL - TX 110 (1½" x 3")
Alternate

Asphalt (hot mix)

N/B

Asphalt (coal mix)

N/B

Screening

N/B

Base Material

N/B

300 E. John Carpenter Frwy
IRVING, TX 75062

Quote Date: 08/20/2020

Quote issued to:

To: CLAY COUNTY - PRECINCT 1
Attn:

100 N BRIDGE ST

HENRIETTA, TX 76365
Phone: 940-567-2663
Fax: 940-567-5978
Email:

Project Setup:

Project: 2020 ANNUAL BID - ALL PRECINCTS
Location:

County:

We are pleased to quote you the following prices on materials as shown below in accordance with Lehigh Hanson's General Terms and Conditions of Sale and the attached Additional Terms and Conditions.

Shipping Plant	Product Description	Quantity	Unit	Material Price	Haul Rate	Delivered Price
----------------	---------------------	----------	------	----------------	-----------	-----------------

PRICING ON BID PACKET

Acceptance Expiration Date: 9/19/2020

Project Completion Date:

Notes: It is the contractor's responsibility to determine if this material is fit for the intended application and material may not meet spec requirements for the job. Flex base is not guaranteed to meet the triaxial test. Material subject to availability. ~~Material is not guaranteed to meet the triaxial test. Material subject to availability.~~

FOB: Shipping Plant

Terms Net: 30

Upon acceptance of prices above and any escalators detailed in Notes section, pricing will be honored until Project Completion Date of 12/30/1899.

*** Trucking Fuel Notice: Freight cost is based on diesel fuel price of \$3.25/gallon or less. Starting at \$3.26/gallon the freight rate will increase by 1.5% for every \$.10 increase in the fuel price. Diesel fuel prices are based on the EIA's Gulf Coast Regional Average @ tonto.eia.doe.gov. Review of diesel price will take place at 3:00 pm on the first Monday of each month and will be effective for the entire month.

**Due to the shortage of drivers and trucks, Lehigh Hanson will not commit to the timing of aggregate deliveries.

*Rail freight rates and fuel surcharges are subject to fees assessed by Burlington Northern and Union Pacific. Delivery is quoted within the limits of the project.

The actual fuel surcharge billed will be computed at time of delivery and is subject to increase for duration of project. Customer may pick up any materials quoted above; FOB the designated plant for material price per ton.

Please be advised that Lehigh Hanson will honor material prices for 90 days from date of quote unless other arrangements are made.

All Material Quoted in 25 ton End Dumps.
All Material Subject To Availability.
Prices do not include tax.

Customer
Signature: _____

Byron Clark
300 E. John Carpenter Frwy
IRVING, TX 75062
Phone: 214-435-4027 Fax: Mobile: DALLAS
To Activate this Quote, Please Call:

300 E. John Carpenter Frwy
IRVING, TX 75062

Quote Date: 08/20/2020

GENERAL TERMS AND CONDITIONS

Buyer agrees that the following terms and conditions will apply to all sales of goods by Seller.

Governing Terms. The following general terms and conditions, together with the specific terms and conditions, not inconsistent herewith, in any Quotation, Acknowledgement of Order or other sales document issued by Seller or in a sales contract signed by Seller for a particular sale, are referred to collectively as the "Agreed Terms of Sale." Buyer agrees that the Agreed Terms of Sale shall govern the sale of the goods by Seller. Any conduct by Buyer which recognizes the existence of a contract with Seller for the sale of goods, including Buyer giving instructions to Seller respecting production or delivery or Buyer's acceptance of all or any portion of the goods, shall also constitute acceptance by Buyer of the Agreed Terms of Sale. Any terms in any purchase order or other document issued by Buyer which are in addition to or different from the Agreed Terms of Sale are objected to and rejected, and the Agreed Terms of Sale shall constitute the complete and exclusive statement of the terms and conditions of the agreement between the parties.

Prices. All severance, manufacturing, sales or use taxes now in effect or later imposed will be added to the invoices and paid by Buyer, except where otherwise provided by law. Sales tax will be charged unless a tax-exemption certificate is provided by Buyer. Prices set forth in any Quotation or Acknowledgement of Order are firm only through the expiration date stated in such document, but in no event more than 90 days from the date thereof. Prices for undelivered goods may be increased by Seller for any increase in the cost of Seller's supplies or labor or costs resulting from governmental action or other costs beyond Seller's reasonable control.

Payment and Collection. Unless otherwise provided in the Quotation or Acknowledgement of Order, all accounts are payable in current funds at the location designated in the invoice within 30 days of the date of delivery. Buyer agrees to pay interest at the maximum non-usurious rate on any past due indebtedness until paid and further agrees to pay all costs incurred in collection of past due indebtedness, including reasonable attorney's fees. Buyer acknowledges and agrees that, where Seller is not Lehigh Hanson, but any affiliate of Lehigh Hanson, Seller's right to payment of any account of Buyer has been or may be assigned to Lehigh Hanson and that by such assignment Lehigh Hanson shall succeed to all Seller's rights to enforce payment, including lien rights and rights to any bonds or other security of payments.

Credit Extension. Buyer represents and warrants that it is solvent and makes a continuing representation and warranty of solvency at the time of each tender of delivery. If at any time the financial condition of Buyer becomes unsatisfactory to Seller, Seller may require payment in advance or other security or guarantees satisfactory to Seller and may suspend deliveries until such adequate assurance of Buyer's performance has been received.

Delivery. Unless otherwise provided in the Quotation or Order Acknowledgement, all sales are F.O.B. the Seller's plant site stated in the Quotation or Order Acknowledgement and delivery shall occur and risk of loss shall transfer as the goods are loaded into trucks, railcars or other mode of transportation at such plant site.

Limited Warranty and Remedies. Seller warrants that, at the time of delivery, the goods sold will conform to the applicable specifications set forth in the Quotation, Acknowledgement of Order, or other sales document signed by Seller. **SELLER MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, AND ALL OTHER WARRANTIES, INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE DISCLAIMED.** If the goods fail to conform, at time of delivery, to this limited warranty, Buyer's sole and exclusive remedy and Seller's entire liability will be, at Seller's election, (i) the repair or replacement by Seller within a reasonable time of the non-conforming goods, f.o.b. Seller's plant with full freight allowed to the jobsite, or (ii) the refund of the price paid for the non-conforming goods, and in either case only if Seller receives written notice of the defect or non-conformance within 30 days of the date of delivery of the non-conforming goods. **SELLER WILL NOT BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES.** Seller's liability, whether under contract, in tort or otherwise shall not in any event exceed the price of the goods or portion of such goods on which such liability is based, and Buyer waives any claim for amounts in excess of that amount.

Force Majeure. Seller will not be liable for failure or delays in delivery of goods due to fire, flood, inclement weather, labor disputes, accidents, equipment failure, delays or unavailability of rail, truck or other transport, governmental acts or regulation, acts of God or any other contingencies beyond Seller's reasonable control. In such event, Seller reserves the right to allocate its available inventories and production capacity among Seller's various customers.

Byron Clark

300 E. John Carpenter Frwy
IRVING, TX 75062

Phone: 214-435-4027 Fax: Mobile: DALLAS

To Activate this Quote, Please Call:

MATERIALS EVALUATION


Coarse Aggregates

Source:	Hanson @ Lake-Bridgeport Plant Flex Base Plant#707	Technical Services
Type:	Item 247 Type "A" Crushed Lime Stone	Report: 2020-707
Lab NO:	TS-weekly-20	Date: 06-28-20
Date:	Received: 06-01-20	

TxDHT METHOD	TEST DESCRIPTION	TEST RESULTS	Item 247 Grade 1 & 2 Specs.
TEX-110-E	2-1/2" Sieve	0	% Retained 0
TEX-110-E	1-3/4" Sieve	0	% Retained 0-10
TEX-110-E	7/8" Sieve	25	% Retained 10-35
TEX-110-E	5/8" Sieve	38	% Retained -----
TEX-110-E	3/8" Sieve	55	% Retained 30-65
TEX-110-E	#4 Sieve	69	% Retained 45-75
TEX-110-E	#10 Sieve	79	% Retained -----
TEX-110-E	#40 Sieve	90	% Retained 65-90

C-117	Decant (- #200 Sieve Washed)	10.7	% Passing
TEX-116-E	Wet Ball Mill	22	40 % Max.
TEX-116-E	Max. Increase -#40	6	20 % Max.
TEX-104-E	Liquid Limit	20	35 % Max.
TEX-106-E	Plasticity Index	8	10 % Max.
C-29	* Unit Weight (Dry Rodded),	110.9	Lbs/Cu.Ft.
C-29	* Unit Weight (Dry Loose),	101.2	Lbs/Cu.Ft.
C-131	L.A. Abrasion,	27.3	% Loss 50% Max.
C-29	* Unit Weight (Compacted As Is),	124.2	Lbs/Cu.Ft.

Note: * Typical result


 Vartan Babakhanian, P.E.
 Technical Services Lab Manager



Quality Test Report

Plant C777-BRIDGEPORT (PERCH-HILL)

Product TX179-Screenings Cr. Lime Stone

Specification



1482048856

Sample Information

Sample No 1482048856
Date Sampled 06/16/2020 17:15
Sampled By John Gaona
Type Investigative
Method Loader Mix
Location Portable Base Plant
Process Stockpiling
Ledge Sample #1

Split Sample
Resample

Test Note
 TX179-Screenings Cr. Lime Stone
 Portable Base Plant Dry Screenings

Gradation Results

Date Completed 06/16/2020 17:15

Tested By John Gaona

Unit	Moist Mass	Dry Mass	Wash Mass	Moisture %	Wash Loss %	Procedure
g		1081.20				

Sieve	Mass Retained	Cum Mass Retained	Ind % Retained	% Retained	% Passing	Target	Specification	Comment
3/8" (9.5mm)	10.60	10.60	1.0	1.0	99.0			
#4 (4.75mm)	525.30	535.90	48.6	49.6	50.4			
#8 (2.36mm)	301.30	837.20	27.9	77.4	22.6			
#10 (2mm)	43.60	880.80	4.0	81.5	18.5			
#16 (1.18mm)	89.70	970.50	8.3	89.8	10.2			
#30 (.6mm)	62.60	1033.10	5.8	95.6	4.4			
#40 (.425mm)	28.90	1062.00	2.7	98.2	1.8			
#50 (.3mm)	5.90	1067.90	0.5	98.8	1.2			
#80 (.18mm)	7.70	1075.60	0.7	99.5	0.5			
#100 (.15mm)	1.80	1077.40	0.2	99.6	0.4			
#200 (75µm)	0.50	1077.90	0.0	99.7	0.3			
Pan	3.30	1081.20	0.3	100.0	0.0			

Other Test Results

Test Name	Date	Result	Unit	Target	Specification	Comment
FM	06/16/2020 17:15	5.12				
	C-136 Fineness Modulus	T.S. Lab			John Gaona	



Basic Quality Statistical Summary Report

Plant C777-BRIDGEPORT (PERCH-HILL)
Product TX128-1"x #4 Utility Cr. Lime Stone
Specification ASTM #57
Period 01/01/2020 - 06/26/2020

Sieve/Test	Tests	Average	Target	Specification
1 1/2" (37.5mm)	126	100		100-100
1" (25mm)	126	98		95-100
3/4" (19mm)	126	76		
1/2" (12.5mm)	126	36		25-60
3/8" (9.5mm)	126	23		
#4 (4.75mm)	126	6		0-10
#8 (2.36mm)	126	1.6		0-5
Pan	126	0.0		
-#200 (75um)	17	0.57		



Basic Quality Statistical Summary Report

Plant C777-BRIDGEPORT (PERCH-HILL)
Product TX208-Rip Rap (Gabion) 3" X 5" Cr. Lime Stone
Specification
Period 01/01/2020 - 06/26/2020

Sieve/Test	Tests	Average	Target	Specification
5" (125mm)	2	100.0		
4" (100mm)	2	74.5		
3" (75mm)	2	53.5		
2 1/2" (63mm)	1	34.5		
2" (50mm)	2	14.9		
1 3/4" (45mm)	1	5.5		
1 1/2" (37.5mm)	2	5.8		
1 1/4" (31.5mm)	1	0.5		
1" (25mm)	1	1.3		
3/4" (19mm)	1	1.1		
1/2" (12.5mm)	1	0.9		
3/8" (9.5mm)	1	0.8		
1/4" (6.3mm)	1	0.7		
#4 (4.75mm)	1	0.6		
Pan	2	0.0		

Basic Quality Statistical Summary Report

Plant C777-BRIDGEPORT (PERCH-HILL)
 Product TX110-1" X 3" Rock
 Specification
 Period 01/01/2020 - 08/20/2020

Sieve/Test	Tests	Average	Specification
4" (100mm)	3	95.8	
3 1/2" (90mm)	3	95.8	
3" (75mm)	3	95.8	
2 1/2" (63mm)	3	89.7	
2" (50mm)	3	69.5	
1 1/2" (37.5mm)	3	34.9	
1" (25mm)	3	3.0	
1/2" (12.5mm)	3	1.3	
#4 (4.75mm)	2	1.1	
Pan	3	0.0	